BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 41 NOS. 1,2 **CONTENTS** **5 SEPTEMBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Expression of serotonin receptors in human fetal astrocytes and glioma cell lines: a possible role in glioma cell proliferation and migration
A. Merzak, S. Koochekpour, M.-P. Fillion, G. Fillion and G.J. Pilkington (UK, United Arab Emirates, France) 1

Regulation of androgen receptor mRNA expression in hamster facial motoneurons: differential effects of non-aromatizable and aromatizable androgens
S.M. Drengler, R.J. Handa and K.J. Jones (USA) 8

The mesolimbic dopaminergic pathway is more resistant than the nigrostriatal dopaminergic pathway to MPTP and MPP^+ toxicity: role of *BDNF* gene expression
H.-C. Hung and E.H.Y. Lee (Taiwan, ROC) 16

Involvement of the caudal striatum in auditory processing: c-*fos* response to cortical application of picrotoxin and to auditory stimulation
E. Arnauld, Y. Jeantet, J. Arsaut and J. Demotes-Mainard (France) 27

Neuronal nitric oxide synthase (nNOS) mRNA expression and NADPH-diaphorase staining in the frontal cortex, visual cortex and hippocampus of control and Alzheimer's disease brains
P.J. Norris, R.L.M. Faull and P.C. Emson (UK, New Zealand) 36

Creatine kinase-B mRNA levels in brain regions from male and female rats
S.E. Ilyin, G. Sonti, G. Molloy and C.R. Plata-Salamán (USA) 50

Changes in the expression of transcription factors ATF-2 and Fra-2 after axotomy and during regeneration in rat retinal ganglion cells
G.A. Robinson (USA) 57

Cultured astrocytes express biglycan, a chondroitin/dermatan sulfate proteoglycan supporting the survival of neocortical neurons
A. Koops, J. Kappler, U. Junghans, G. Kuhn, H. Kresse and H.W. Müller (Germany, USA) 65

Transient expression of the mitogen-activated protein kinase phosphatase MKP-1 (3CH134/ERP1) in the rat brain after limbic epilepsy
P. Gass, A. Eckhardt, H. Schröder, R. Bravo and T. Herdegen (Germany, USA) 74

Molecular cloning of ictacalcin: a novel calcium-binding protein from the channel catfish, *Ictalurus punctatus*
A.R. Porta, E. Bettini, O.I. Buiakova, H. Baker, W. Danho and F.L. Margolis (USA) 81

Expression of c-*fos*, *jun D* and $pp60^{c-src+}$ mRNAs in the developing and grafted rat striatum
N.S.K. Haque, J.M. Fernandez, E. Mayer, R.P. Heavens, S.B. Dunnett and D.J.S. Sirinathsinghji (UK) 90

Regulation of alternative splicing of NMDAR1 in the kindling model
J.E. Kraus, J.V. Nadler and J.O. McNamara (USA) 97

Tetrahydrobiopterin biosynthesis in C6 glioma cells: induction of GTP cyclohydrolase I gene expression by lipopolysaccharide and cytokine treatment
C. D'Sa, K. Hirayama, A. West, M. Hahn, M. Zhu and G. Kapatos (USA) 105

Cellular expression of the immediate early transcription factors Nurr1 and NGFI-B suggests a gene regulatory role in several brain regions including the nigrostriatal dopamine system
R.H. Zetterström, R. Williams, T. Perlmann and L. Olson (Sweden) 111

Effects of dexfenfluramine or 5,7-dihydroxytryptamine on tryptophan hydroxylase and serotonin transporter mRNAS in rat dorsal raphe
S.L. Semple-Rowland, A. Mahatme and N.E. Rowland (USA) 121

Distribution and levels of insulin-like growth factor (IGF-I and IGF-II) and insulin receptor binding sites in the spinal cords of amyotrophic lateral sclerosis (ALS) patients
S. Doré, C. Krieger, S. Kar and R. Quirion (Canada) 128

Cloning and expression of the proteolipid protein DM20 cDNA from the brain of the rainbow trout, *Oncorhynchus mykiss*
S. Tang, J.P. Panno and B.A. McKeown (Canada) 134

Effect of morphine on *proopiomelanocortin* gene expression and peptide levels in the hypothalamus
S.L. Wardlaw, J. Kim and S. Sobieszczyk (USA) 140

Efficient adenoviral vector-directed expression of a foreign gene to neurons and sustentacular cells in the mouse olfactory neuroepithelium
A.J.G.D. Holtmaat, W.T.J.M.C. Hermens, A.B. Oestreicher, W.H. Gispen, M.G. Kaplitt and J. Verhaagen (The Netherlands, USA) 148

(contents continued on p. 305)

0169-328X(19960905)41:1/2;1-L

BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 41 NOS. 1,2 **CONTENTS** **5 SEPTEMBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Expression of serotonin receptors in human fetal astrocytes and glioma cell lines: a possible role in glioma cell proliferation and migration
A. Merzak, S. Koochekpour, M.-P. Fillion, G. Fillion and G.J. Pilkington (UK, United Arab Emirates, France) 1

Regulation of androgen receptor mRNA expression in hamster facial motoneurons: differential effects of non-aromatizable and aromatizable androgens
S.M. Drengler, R.J. Handa and K.J. Jones (USA) 8

The mesolimbic dopaminergic pathway is more resistant than the nigrostriatal dopaminergic pathway to MPTP and MPP^+ toxicity: role of *BDNF* gene expression
H.-C. Hung and E.H.Y. Lee (Taiwan, ROC) 16

Involvement of the caudal striatum in auditory processing: c-*fos* response to cortical application of picrotoxin and to auditory stimulation
E. Arnauld, Y. Jeantet, J. Arsaut and J. Demotes-Mainard (France) 27

Neuronal nitric oxide synthase (nNOS) mRNA expression and NADPH-diaphorase staining in the frontal cortex, visual cortex and hippocampus of control and Alzheimer's disease brains
P.J. Norris, R.L.M. Faull and P.C. Emson (UK, New Zealand) 36

Creatine kinase-B mRNA levels in brain regions from male and female rats
S.E. Ilyin, G. Sonti, G. Molloy and C.R. Plata-Salamán (USA) 50

Changes in the expression of transcription factors ATF-2 and Fra-2 after axotomy and during regeneration in rat retinal ganglion cells
G.A. Robinson (USA) 57

Cultured astrocytes express biglycan, a chondroitin/dermatan sulfate proteoglycan supporting the survival of neocortical neurons
A. Koops, J. Kappler, U. Junghans, G. Kuhn, H. Kresse and H.W. Müller (Germany, USA) 65

Transient expression of the mitogen-activated protein kinase phosphatase MKP-1 (3CH134/ERP1) in the rat brain after limbic epilepsy
P. Gass, A. Eckhardt, H. Schröder, R. Bravo and T. Herdegen (Germany, USA) 74

Molecular cloning of ictacalcin: a novel calcium-binding protein from the channel catfish, *Ictalurus punctatus*
A.R. Porta, E. Bettini, O.I. Buiakova, H. Baker, W. Danho and F.L. Margolis (USA) 81

Expression of c-*fos*, *jun D* and $pp60^{c-src+}$ mRNAs in the developing and grafted rat striatum
N.S.K. Haque, J.M. Fernandez, E. Mayer, R.P. Heavens, S.B. Dunnett and D.J.S. Sirinathsinghji (UK) 90

Regulation of alternative splicing of NMDAR1 in the kindling model
J.E. Kraus, J.V. Nadler and J.O. McNamara (USA) 97

Tetrahydrobiopterin biosynthesis in C6 glioma cells: induction of GTP cyclohydrolase I gene expression by lipopolysaccharide and cytokine treatment
C. D'Sa, K. Hirayama, A. West, M. Hahn, M. Zhu and G. Kapatos (USA) 105

Cellular expression of the immediate early transcription factors Nurr1 and NGFI-B suggests a gene regulatory role in several brain regions including the nigrostriatal dopamine system
R.H. Zetterström, R. Williams, T. Perlmann and L. Olson (Sweden) 111

Effects of dexfenfluramine or 5,7-dihydroxytryptamine on tryptophan hydroxylase and serotonin transporter mRNAS in rat dorsal raphe
S.L. Semple-Rowland, A. Mahatme and N.E. Rowland (USA) 121

Distribution and levels of insulin-like growth factor (IGF-I and IGF-II) and insulin receptor binding sites in the spinal cords of amyotrophic lateral sclerosis (ALS) patients
S. Doré, C. Krieger, S. Kar and R. Quirion (Canada) 128

Cloning and expression of the proteolipid protein DM20 cDNA from the brain of the rainbow trout, *Oncorhynchus mykiss*
S. Tang, J.P. Panno and B.A. McKeown (Canada) 134

Effect of morphine on *proopiomelanocortin* gene expression and peptide levels in the hypothalamus
S.L. Wardlaw, J. Kim and S. Sobieszczyk (USA) 140

Efficient adenoviral vector-directed expression of a foreign gene to neurons and sustentacular cells in the mouse olfactory neuroepithelium
A.J.G.D. Holtmaat, W.T.J.M.C. Hermens, A.B. Oestreicher, W.H. Gispen, M.G. Kaplitt and J. Verhaagen (The Netherlands, USA) 148

(contents continued on p. 305)

0169-328X(19960905)41:1/2;1-L

(contents continued from back cover)

Effects of pituitary adenylate cyclase-activating polypeptide (PACAP) on gonadotropin-releasing hormone and somatostatin gene expression in the rat brain
S. Li, V. Grinevich, A. Fournier and G. Pelletier (Canada) 157

Down-regulation of the GABA receptor subunits mRNA levels in mammalian cultured cortical neurons following chronic neurosteroid treatment
R. Yu, P. Follesa and M.K. Ticku (USA) 163

Purkinje neurons express the SERCA3 isoform of the organellar type Ca^{2+}-transport ATPase
F. Baba-Aïssa, L. Raeymaekers, F. Wuytack, G. Callewaert, L. Dode, L. Missiaen and R. Casteels (Belgium) 169

GDNF mRNA levels are induced by FGF-2 in rat C6 glioblastoma cells
C. Suter-Crazzolara and K. Unsicker (Germany) 175

A facilitatory effect on the induction of long-term potentiation in vivo by chronic administration of antisense oligodeoxynucleotides against catalytic subunits of calcineurin
S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) 183

Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3
M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) 192

Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system
D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) 200

Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor
M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) 210

Gonadotropin-releasing hormone gene expression in teleosts
I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) 216

Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected *Trichoplusia ni* insect cells
S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) 228

Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex
S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA) 241

Expression of insulin receptor-related receptor in the rat brain examined by in situ hybridization and immunohistochemistry
N. Tsuji, K. Tsujimoto, N. Takada, K. Ozaki, M. Ohta and N. Itoh (Japan) 250

1,25-Dihydroxyvitamin D_3 regulates the expression of the low-affinity neurotrophin receptor
P. Naveilhan, I. Neveu, C. Baudet, H. Funakoshi, D. Wion, P. Brachet and M. Metsis (France, Sweden) 259

Sequence analysis of PG10.2, a gene expressed in the pineal gland and the outer nuclear layer of the retina
X. Wang, M.J. Brownstein and W.S. Young III (USA) 269

Expression of the fibroblast growth factor family and their receptor family genes during mouse brain development
K. Ozawa, T. Uruno, K. Miyakawa, M. Seo and T. Imamura (Japan) 279

A conserved disulfide loop facilitates conformational maturation in the subunits of the acetylcholine receptor
E.C. Walcott and K. Sumikawa (USA) 289

Corrigendum 301

Author Index 303